

(Throw Ratio) ≤ 0.4:1



10 Watt
2xD-sub 15pin (RGB), 1xUSB 2.0 type

B

Video 1xRCA, 1xS-Video, 2xComponent (D-sub 15 pin)
Data: 2xStereo mini jack, Video: 1xRCA (stereo), Mic : 1xStereo mini jack
1xD-sub 15pin
1xStereo mini jack

economy mode () 3500

ISO 9001
(. . CD, DVD)

3 1 ()

μ μ μ μ

(3)

Flash μ
Video
(μ)
drag'n'drop.
pdf, MSOffice (Word, Excel & Powerpoint) &
html, e-mail.

Windows 7, ME, XP, Vista, 7, Mac & Linux.
on-line (μ Internet).

✓ μ
 ✓ μ (μ , μ μ , μ .)
 ✓ μ (. . . CD, DVD)
 ✓ μ (updates & patches).
 ✓ μ : μ μ
 ✓ μ μ μ μ
 ✓ μ μ
 ✓ CFF (Comon File Format) μ μ μ μ

(4)

✓ μ
 ✓ μ
 ✓ USB V2.0 Ports ≥ 4
 ✓ μ (CPU)
 ✓ (μ , μ μ μ L2 cache, μ).
 ✓ μ (RAM) μ intel dual core 2 GHz AMD E SERIES E2 - 3000M 1,8 GHz
 ✓ μ (Monitor) LCD LED DDR-2 $\geq 4GB$
 ✓ μ $\geq 15.5"$
 ✓ 1280×800 1366×768 (True Color)
 ✓ μ μ μ MB $\geq 512MB$
 ✓ μ μ 1xD-sub 15pin
 ✓ μ /Line out, μ μ μ
 ✓ (Hard Disk Drive) μ Unformatted $\geq 500GB$
 ✓ μ μ μ μ μ BAPCo MOBILEMARK 2007 Windows 7
 ✓ μ (Battery Life Office Productivity 2007 Workload) μ μ $\geq 110'$
 ✓ (μ)
 ✓ μ RJ-45 $\geq 100Mbps$
 ✓ Wireless Lan 802.11 b/g/n
 ✓ μ qwerty μ
 ✓ Touchpad μ
 ✓ μ μ μ Lithium-ion
 ✓ μ μ μ AC
 ✓ μ μ μ / μ CD-DVD (double layer)
 ✓ μ (μ)
 ✓ $\leq 3Kgr$ μ)

(5)

✓ μ μ μ μ μ Microsoft Windows 7
 ✓ μ μ μ μ μ μ

CD

- ✓ μ μ
- cd/dvd)
- μ (recovery)
- μ (μ MS Windows 7) μ
- μ (live updates, patches) « μ »
- μ
- μ (MS Windows 7 : μ) μ
- μ pdf

-
- ✓ μ
 - ✓ μ
 - ✓ μ (.) μ
 - μ μ μ μ μ
 - μ & μ :
 - F (CEE 7/4 "schuko") (μ) μ μ
 - μ mini jack
 - μ VGA (D15) / μ (USB,
 - μ) .
 - μ / μ μ
 - μ μ
 - μ 2 .
 - μ μ μ
 - μ μ
 - μ μ (40, 1 μ , . 28213-41768 .2),
 - μ